



T018 GRAFFITI REMOVER

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

PRODUCT CODE: T018
PRODUCT NAME: GRAFFITI REMOVER
MANUFACTURER: Selden Research Limited
Staden Lane
Ashbourne Road
Buxton
Derbyshire
SK17 9RZ

TELEPHONE: 01298 26226
FAX: 01298 26540
EMAIL: safety@selden.co.uk

2. HAZARDS IDENTIFICATION

R10 Flammable., R36/38 Irritating to eyes and skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

NAME	EINECS Nr.:	CLASSIFICATION	CONTENT
CAS No.:			
1-METHOXY-2-PROPANOL			
107-98-2	203-539-1	R10	10-30 %
3-BUTOXYPROPAN-2-OL			
5131-66-8	225-878-4	Xi;R36/38	10-30 %

The full text for all R-Phrases are displayed in Section 16

4. FIRST AID MEASURES

INHALATION: Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

INGESTION: Remove victim immediately from source of exposure. DO NOT INDUCE VOMITING!, Rinse mouth thoroughly. Drink plenty of water. Get medical attention.

SKIN: Remove affected person from source of contamination. Remove contaminated clothing. Rinse the skin immediately with lots of water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

EYES: Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention if any discomfort continues.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES: Use water to keep fire exposed containers cool and disperse vapours.

6. ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS: Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

ENVIRONMENTAL PRECAUTIONS: Any spillage needs to be contained and not allowed to enter water courses

7. HANDLING AND STORAGE

USAGE PRECAUTIONS: Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS: Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT NAME:	CAS No.:	STD	LT EXP 8 Hrs	ST EXP 15 Min
1-METHOXY-2-PROPANOL		WEL	375 mg/m3	560 mg/m3(Sk)

PROTECTIVE EQUIPMENT:





T018 GRAFFITI REMOVER

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear, Liquid
COLOUR:	Amber
ODOUR:	Solvent.
BOILING POINT (°C):	> 100 C
DENSITY/SPECIFIC GRAVITY(g/ml)	0.922 - 0.932
pH-VALUE, CONC. SOLUTION:	N/A
SOLUBILITY:	Soluble in water
FLASH POINT (°C):	41 CC (Closed)

10. STABILITY AND REACTIVITY

STABILITY:	Stable under normal temperature conditions.
HAZARDOUS COMPOSITION PRODUCTS:	Fire or high temperatures create:, Toxic gases/vapours/fumes of:, Carbon dioxide (CO ₂). Carbon monoxide (CO).

11. TOXICOLOGY INFORMATION

INHALATION:	May cause irritation to the respiratory system.
INGESTION:	Liquid irritates mucous membranes and may cause abdominal pain if swallowed. May cause stomach pain or vomiting.
SKIN CONTACT:	Irritating to skin. Prolonged or repeated exposure may cause severe irritation.
EYE CONTACT:	Irritation of eyes and mucous membranes.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:	Not classed as Hazardous to the Environment but release to the environment should be avoided.
--------------	---

13. DISPOSAL CONSIDERATIONS

DISPOSABLE METHODS:	Dispose of waste and residues in accordance with local authority requirements.
---------------------	--

14. TRANSPORT INFORMATION

LABEL FOR CONVEYANCE:



UN No ROAD:	1993
UK ROAD TRANSPORT CLASS:	3
UK ROAD PACK GR.:	III
ADR CLASS NO.:	3
ADR CLASS:	Class 3: Flammable liquids.
PROPER SHIPPING NAME I:	FLAMMABLE LIQUID, NOS (Mixed Glycol Ethers)
UN No SEA:	1993
IMDG CLASS:	3
UN NO. AIR:	1993
ICAO CLASS:	3



T018 GRAFFITI REMOVER

15. REGULATORY INFORMATION

LABEL FOR SUPPLY:



RISK PHRASES: R10 Flammable. R36/38 Irritating to eyes and skin.

SAFETY PHRASES: S2 Keep out of the reach of children, S23 Do not breathe vapour/spray. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37/39 Wear suitable gloves and eye/face protection. S51 Use only in well-ventilated areas.

STATUTORY INSTRUMENTS: Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

APPROVED CODE OF PRACTICE: Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES: Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

16. OTHER INFORMATION

USER NOTES: The following risk phrases relate to the raw materials in the product and not the product itself:-

REVISION DATE: 13/04/2006

REV. NO./REPL. SDS GENERATED: 4

R-PHRASES (Full Text): R36/38 Irritating to eyes and skin. | R10 Flammable. |